





Front of completed model


Back of completed model

To Assemble Main Walls and Ell Walls:

- 1. Cut out Front, Entry, Right and Left Ends, and Back Wall pieces. Fold all dotted lines.
- 2. Glue Entry to Front using tabs a-c.
- 3. Glue Front, Sides, and Back using tabs A D.
- 4. Cut out Back of Ell, Ell Left and Right Walls and Ell Inset Porch. Fold all dotted lines.
- 5. Glue Ell Inset Porch to Back of Ell using tabs r y.
- 6. Glue Ell Sides to Back of Ell and Back Wall using tabs E H.







BUILD YOUR OWN LINCOLN SITES



www.Lincoln200.net www.illinois-history.gov www.LookingforLincoln.com www.OldStateCapitol.org www.BuildYourOwnMainStreet.org

LINCOLN HOME SPRINGFIELD, ILLINOIS

PAGE 1 of 6

To Assemble Entry Steps and Entry Step Sides:

- 1. Cut out the Entry Steps. Fold all dotted lines
- Glue Entry Steps up using tabs d f.
- Glue each Entry Step Side to form a box using Cut out the Entry Step Sides. Fold all dotted lines
- Be sure the Entry Steps are folded in even steps. tabs g -j on the left and tabs k - m on the right.

6.5

Glue the Entry Step Sides to the Front Wall, the sides of the Entry Steps, and the exposed Entry Step bottom flap.


Left End Cornice Returns

Chie edge of Main Roof here

To Assemble the End Cornice Returns.

- .. Cut out the End Cornice Returns. Fold all dotted lines.
- Glue each Cornice Return into a box using the matching tabs n, o, p, and q respectively.
- Each Cornice Return will line up with the Front (or Back) Glue each End Cornice Return to the matching End Wall location with matching letters n, o, p, or q.


existing flat image near the matching letters. Wall and End Wall cornice. It will overlap somewhat the




0



Left End






BUILD YOUR OWN LINCOLN SITES



www.Lincoln200.net www.illinois-history.gov www.LookingforLincoln.com www.OldStateCapitol.org www.BuildYourOwnMainStreet.org

LINCOLN HOME SPRINGFIELD, ILLINOIS

PAGE 3 of 6



To Assemble Main Roof and Ell Roof:

- 1. Cut out the Main Roof. Cut slots as indicated for use with Chimney tabs later. Fold all dotted lines.
- 2. Glue the Main Roof to the Front, Back and End Wall tabs. Dry fit first to be sure cornices line up and roof over hang is uniform.
- 3. Cut out the Ell Roof Sides and Ell Roof Back. Be sure to cut the slots for Chimney tabs. Fold all dotted lines.
- 4. Glue the two pieces together with tabs I and J.
- 5. After a test fit, glue the Ell Roof to the Ell Back and Ell Wall roof tabs. Make sure over hangs are equal.


To Assemble Ell Porch Floor:


- 1. Cut out Ell Porch Floor. Fold all dotted lines.
- 2. Glue piece into a low rectangular box using tabs 1 4.
- 3. Glue to the base tab and wall of the Ell Right Wall.

To Assemble the Ell Porch Ceiling and Roof:

- 1. Cut out the Ell Porch Ceiling and Roof. Fold all dotted lines.
- 2. Glue up the Ceiling portion joining tabs at 8.
- 3. Glue the Roof portion to the Ceiling tabs and glue end tabs marked 9.
- 4. Glue the assembled piece to the Ell Right Wall.










BUILD YOUR OWN LINCOLN SITES



www.Lincoln200.net www.illinois-history.gov www.LookingforLincoln.com www.OldStateCapitol.org www.BuildYourOwnMainStreet.org

LINCOLN HOME SPRINGFIELD, ILLINOIS


PAGE 4 of 6



WN LINCOLN SITES

www.Lincoln200.net www.illinois-history.gov www.LookingforLincoln.com www.OldStateCapitol.org www.BuildYourOwnMainStreet.org

LINCOLN HOME SPRINGFIELD, ILLINOIS **PAGE** 5 of 6



To Assemble Ell Porch Roof Railing:


- 1. Cut out the Ell Porch Roof Railing. Fold all dotted lines.
- 2. Glue the Railing to the Ell Porch Roof at the solid black line on the Roof.

To Assemble Ell Porch Screen and Columns:

- 1. Cut out the Ell Porch Screen. Fold all dotted lines.
- 2. Form the two end columns with the screen between and glue using tab 5.
- 3. Cut out the Ell Porch Columns. Fold all dotted lines.
- 4. Glue each column up using tabs 6 and 7.
- 5. Glue the Ell Porch Screen to the Ell Porch Floor and Ceiling at white lines near outer corner.
- 6. Glue one Column to the Ell Porch Floor, Ceiling, and Back Wall.
- 7. Glue the other Column to the Ell Porch Floor and Ceiling, evenly spaced between Screen and previous Column.

To Assemble the Chimneys:

- 1. Cut out all four Chimneys. Fold all dotted lines.
- 2. Glue the first Main Chimney into a square tube with a closed end using tab 10 and matching up the asterisks.
- 3. Repeat with other Chimneys.
- 4. Glue the Main Chimneys to the Main Roof by gluing the tabs into the existing slots.
- 5. Glue the Ell Chimneys to the Ell Roof in the same manner.



BUILD YOUR OWN LINCOLN SITES



www.Lincoln200.net www.illinois-history.gov www.LookingforLincoln.com www.OldStateCapitol.org www.BuildYourOwnMainStreet.org

LINCOLN HOME SPRINGFIELD, ILLINOIS

PAGE 6 of 6